

IW-PV689

Pedestal Value-Added Server Chassis



Features & Benefits

- Tool-free design for easy installation
- Utilizes 5.25" drive bay x 3 with In Win storage kits
 - High density storage up to 3.5" x 12 HDD
 - Supports extended ATX (12" x 13") M/B
- For general purpose storage server chassis

IW-PV689

Pedestal Value-Added Server Chassis




Front view



Rear view



Inside view



Features



- ◆ Flexible 5.25" ODD cage for versatile storage configuration (Optional 2-in-3 or 3-in-4 storage kits)




- ◆ 3.5" x 4 hot-swap storage module



- ◆ 3.5" x 4 storage cage (Optional 3.5" x 4 hot-swap storage module)




- ◆ Tool-free ODD



- ◆ 120 mm or 92mm front fan x 2 (Optional)



- ◆ 120 mm rear fan x 1



- ◆ Tool-free I/O slots



- ◆ Tool-free front panel




- ◆ Tool-free side cover

IW-PV689

Pedestal Value-Added Server Chassis



Dimensions (DxW)



Specifications

M/B Form Factor	ATX (12" x 9.6"), CEB (12" x 10.5"), EEB (12" x 13")
Dimensions (DxWxH) w/o Front Panel	585 x 210 x 430 mm (23" x 8.3" x 16.9")
Drive Bay	External: 5.25" x 3, 3.5" x 1 Internal: 3.5" x 8, Hot-Swap 3.5" x 12 (Optional)
Power Supply	PS/2 EPS12V, 1 + 1 Mini-Redundant ERP12V
Front Control Panel	Power Switch, System Reset, USB 2.0 x 2
Chassis Security	Intrusion Switch, Padlock Loop, Kensington Lock Supported
Cooling Fan	Rear: 120 mm PWM x 1 Front: 120 mm x 1 or 92 mm PWM x 1 (Optional)
Expansion Slot	Full Height PCI Slot x 7
Packaging Dimensions (D x W x H)	715 x 582 x 372 mm
Shipping Information	Net Weight: 13.25 kg Gross Weight: 18.15 kg Container Info • Single Packing: 20': 150pcs, 40': 300pcs • Bulk Packing + Pallet: 20': 120pcs, 40': 240pcs

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make final modifications.

* Above image for reference only. All hardware components are not included.